CONTENTS

Volume 171 No. 1 January 1, 1990

1 DANIEL E. GERAGHTY, XIAOHUA WEI, HARRY T. ORR, and BEVERLY H. KOLLER. Human leukocyte antigen F (HLA-F). An expressed HLA gene composed of a class I coding sequence linked to a novel transcribed repetitive element

19 YUJI UEKI, INNA S. GOLDFARB, NAGARADONA HARINDRANATH, MILIND GORE, HILARY KOPROWSKI, ABNER L. NOTKINS, and PAOLO CASALI. Clonal analysis of a human antibody response. Quantitation of precursors of antibody-producing cells and generation and characterization of monoclonal IgM, IgG, and IgA to rabies virus

35 ALEXANDER N. SHAKHOV, MARTINE A. COLLART, PIERRE VASSALLI, SERGEI A. NEDOSPASOV, and C. VICTOR JONGENEEL. κB-Type enhancers are involved in lipopolysaccharide-mediated transcriptional activation of the tumor necrosis factor α gene in primary macrophages

49 ANN M. PULLEN, WAYNE POTTS, EDWARD K. WAKELAND, JOHN KAPPLER, and PHILIPPA MARRACK. Surprisingly uneven distribution of the T cell receptor Vβ repertoire in wild mice

63 R. D. SHAHIN, M. J. BRENNAN, Z. M. LI, B. D. MEADE, and C. R. MANCLARK. Characterization of the protective capacity and immunogenicity of the 69-kD outer membrane protein of *Bordetella pertussis*

75 JEAN CHRISTOPHE BORIES, PASCALE LOISEAU, LUC D'AURIOL, CORINNE GONTIER, ARMAND BENSUSSAN, LAURENT DEGOS, and FRANCOIS SIGAUX. Regulation of transcription of the human T cell antigen receptor δ chain gene. A T lineage–specific enhancer element is located in the Jδ3-Cδ intron

85 WILLIAM W. KWOK, ERIC MICKELSON, SUSAN MASEWICZ, ERIC C. B. MILNER, JOHN HANSEN, and GERALD T. NEPOM. Polymorphic DQα and DQβ interactions dictate HLA class II determinants of allo-recognition

97 MASATOSHI ETO, HISANORI MAYUMI, YUKIHIRO TOMITA, YASUNOBU YOSHIKAI, and KIKUO NOMOTO. Intrathymic clonal deletion of $V_{\beta 6}^+$ T cells in cyclophosphamide-induced tolerance to H-2-compatible, Mls-disparate antigens

115 MICHAEL D. SADICK, FREDERICK P. HEINZEL, BETTIE J. HOLADAY, ROBERT T. PU, ROGELIO S. DAWKINS, and RICHARD M. LOCKSLEY. Cure of murine leishmaniasis with anti–interleukin 4 monoclonal antibody. Evidence for a T cell–dependent, interferon γ–independent mechanism

129 LIANE BRAUN, PETER M. SCHNEIDER, CAROLYN M. GILES, JÖRG BERTRAMS, and CHRISTIAN RITTNER. Null alleles of human complement C4. Evidence for pseudogenes at the *C4A* locus and for gene conversion at the *C4B* locus

141 BRUCE M. HALL, NICHOLAS W. PEARCE, KAY E. GURLEY, and SUSAN E. DORSCH. Specific unresponsiveness in rats with prolonged cardiac allograft survival after treatment with cyclosporine. III. Further characterization of the $CD4^+$ suppressor cell and its mechanisms of action

159 FRANZ KOCH, CHRISTINE HEUFLER, ECKHART KÄMPGEN, DORIS SCHNEEWEISS, GÜNTHER BÖCK, and GEROLD SCHULER. Tumor necrosis factor α maintains the viability of murine epidermal Langerhans cells in culture, but in contrast to granulocyte/macrophage colony-stimulating factor, without inducing their functional maturation

173 CHRISTINE A. BIRON, HOWARD A. YOUNG, and MARION T. KASAIAN. Interleukin 2–induced proliferation of murine natural killer cells in vivo

189 THOMAS J. KIPPS, BRUCE A. ROBBINS, and DENNIS A. CARSON. Uniform high frequency expression of autoantibody-associated crossreactive idiotypes in the primary B cell follicles of human fetal spleen

197 MARCEL R. M. VAN DEN BRINK, LAVERNE E. HUNT, and JOHN C. HISERODT. In vivo treatment with monoclonal antibody 3.2.3 selectively eliminates natural killer cells in rats

211 YEDIDA SHARABI and DAVID H. SACHS. In vivo effects of monoclonal antibodies to distinct epitopes of Qa-2 antigens

221 YIXIN LI, PAUL SZABO, MARY ANN ROBINSON, BEI DONG, and DAVID N. POSNETT. Allelic variations in the human T cell receptor Vβ6.7 gene products

231 JANICE B. ALLEN, CARL L. MANTHEY, ARTHUR R. HAND, KIYOSHI OHURA, LARRY ELLINGSWORTH, and SHARON M. WAHL. Rapid onset synovial inflammation and hyperplasia induced by transforming growth factor β

249 ROBERT B. CAMERON, PAUL J. SPIESS, and STEVEN A. ROSENBERG. Synergistic antitumor activity of tumor-infiltrating lymphocytes, interleukin 2, and local tumor irradiation. Studies on the mechanism of action

265 M. SHLOMCHIK, M. MASCELLI, H. SHAN, M. Z. RADIC, D. PISETSKY, A. MARSHAK-ROTHSTEIN, and M. WEIGERT. Anti-DNA antibodies from autoimmune mice arise by clonal expansion and somatic mutation

299 JAMES P. TAM, PEDRO CLAVIJO, YI-AN LU, VICTOR NUSSENZWEIG, RUTH NUSSENZWEIG, and FIDEL ZAVALA. Incorporation of T and B epitopes of the circumsporozoite protein in a chemically defined synthetic vaccine against malaria

307 CHRISTIAN P. LARSEN, PETER J. MORRIS, and JONATHAN M. AUSTYN. Migration of dendritic leukocytes from cardiac allografts into host spleens. A novel pathway for initiation of rejection

BRIEF DEFINITIVE REPORTS

315 ANDREAS CERNY, AMBROS W. HÜGIN, RICHARD R. HARDY, KYOKO HAYAKAWA, ROLF M. ZINKERNAGEL, MASAHIKO MAKINO, and HERBERT C. MORSE III. B cells are required for induction of T cell abnormalities in a murine retrovirus-induced immunodeficiency syndrome

321 MUNEO INABA, KAYO INABA, YASUSHI ADACHI, KEN-ICHI NANGO, HAJIME OGATA, SHIGERU MURAMATSU, and SUSUMU IKEHARA. Functional analyses of thymic $CD5^+$ B cells. Responsiveness to major histocompatibility complex class II-restricted T blasts but not to lipopolysaccharide or anti-IgM plus interleukin 4

327 SATISH KESHAV, LINDA LAWSON, L. PING CHUNG, MICHAEL STEIN, V. HUGH PERRY, and SIAMON GORDON. Tumor necrosis factor mRNA localized to paneth cells of normal murine intestinal epithelium by in situ hybridization

333 BARBARA J. ALTER and FRITZ H. BACH. Cellular basis of the proliferative response of human T cells to mouse xenoantigens

339 M. E. J. BILLINGHAM, S. CARNEY, R. BUTLER, and M. J. COLSTON. A mycobacterial 65-kD heat shock protein induces antigen-specific suppression of adjuvant arthritis, but is not itself arthritogenic

345 S. R. BURROWS, T. B. SCULLEY, I. S. MISKO, C. SCHMIDT, and D. J. MOSS. An Epstein-Barr virus-specific cytotoxic T cell epitope in EBV nuclear antigen 3 (EBNA3)

351 ORLANDO C. FERREIRA, JR., ANGELES GARCIA-PARDO, and CELSO BIANCO. Specific binding of the human monocytic cell line U937 to the alternatively spliced connecting segment (IIICS) of fibronectin

357 JENS LÜDEMANN, BERT UTECHT, and WOLFGANG L. GROSS. Anti-neutrophil cytoplasm antibodies in Wegener's granulomatosis recognize an elastinolytic enzyme

Volume 171 No. 2 February 1, 1990

367 Ralph C. Nichols and Jack Y. Vanderhoek. 5-Hydroxyeicosanoids selectively stimulate the human neutrophil 15-lipoxygenase to use endogenous substrate

377 Francis R. Carbone and Michael J. Bevan. Class I–restricted processing and presentation of exogenous cell-associated antigen in vivo

389 Noriko Tohyama, Hajime Karasuyama, and Tomio Tada. Growth autonomy and tumorigenicity of interleukin 6–dependent B cells transfected with interleukin 6 cDNA

401 Victoria Ley, Edith S. Robbins, Victor Nussenzweig, and Norma W. Andrews. The exit of *Trypanosoma cruzi* from the phagosome is inhibited by raising the pH of acidic compartments

415 Terje Espevik, Manfred Brockhaus, Hansruedi Loetscher, Unni Nonstad, and Refaat Shalaby. Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor

427 Juan Carlos Zúñiga-Pflücker, Lori A. Jones, Dan L. Longo, and Ada M. Kruisbeek. CD8 is required during positive selection of $CD4^-/CD8^+$ T cells

439 K. Saukkonen, S. Sande, C. Cioffe, S. Wolpe, B. Sherry, A. Cerami, and E. Tuomanen. The role of cytokines in the generation of inflammation and tissue damage in experimental gram-positive meningitis

449 Alfred Walz and Marco Baggiolini. Generation of the neutrophil-activating peptide NAP-2 from platelet basic protein or connective tissue–activating peptide III through monocyte proteases

455 Phillipa Marrack, Marcia Blackman, Ella Kushnir, and John Kappler. The toxicity of staphylococcal enterotoxin B in mice is mediated by T cells

465 J. Han, T. Brown, and B. Beutler. Endotoxin-responsive sequences control cachectin/tumor necrosis factor biosynthesis at the translational level

477 Kensuke Miyake, Kay L. Medina, Shin-Ichi Hayashi, Shiro Ono, Toshiyuki Hamaoka, and Paul W. Kincade. Monoclonal antibodies to Pgp-1/CD44 block lympho-hemopoiesis in long-term bone marrow cultures

489 Jiin-Tsuey Cheng, Cary Ying-Chuan Yang, Jose Hernandez, Jeffrey Embrey, and Richard Baer. The chromosome translocation (11;14)(p13;q11) associated with T cell acute leukemia. Asymmetric diversification of the translocation junctions

503 Suzanne C. Morris, Robert L. Cheek, Philip L. Cohen, and Robert A. Eisenberg. Autoantibodies in chronic graft versus host result from cognate T–B interactions

519 Akio Matsuzawa, Toshiro Moriyama, Tetsuya Kaneko, Minoru Tanaka, Mikio Kimura, Hidetoshi Ikeda, and Takuya Katagiri. A new allele of the *lpr* locus, lpr^{cg}, that complements the *gld* gene in induction of lymphadenopathy in the mouse

533 Angela Granelli-Piperno. Lymphokine gene expression in vivo is inhibited by cyclosporin A

545 Joseph A. Trapani, Byoung S. Kwon, Christine A. Kozak, Chaya Chintamaneni, John Ding-E Young, and Bo Dupont. Genomic organization of the mouse pore-forming protein (perforin) gene and localization to chromosome 10. Similarities to and differences from C9

BRIEF DEFINITIVE REPORTS

559 Masaaki Adachi, Ayalew Tefferi, Philip R. Greipp, Thomas J. Kipps, and Yoshihide Tsujimoto. Preferential linkage of BCL-2 to immunoglobulin light chain gene in chronic lymphocytic leukemia.

565 Klaus Ritter, Hartmut Brestrich, Bettina Nellen, Hartmut Kratzin, Helmut Eiffert, and Reiner Thomssen. Autoantibodies against triosephosphate isomerase. A possible clue to pathogenesis of hemolytic anemia in infectious mononucleosis

571 HIDEMI TAKAHASHI, RONALD N. GERMAIN, BERNARD MOSS, and JAY A. BERZOFSKY. An immunodominant class I–restricted cytotoxic T lymphocyte determinant of human immunodeficiency virus type 1 induces CD4 class II–restricted help for itself

577 MORONARI MATSUNAGA, KATSUHIKO SEKI, TOSHIHIRO MINETA, and MASAO KIMOTO. Antigen-reactive T cell clones restricted by mixed isotype A^d_β/E^d_α class II molecules

583 JACQUES J. NEEFJES, MARLOES L. H. DE BRUIJN, CLAIRE J. P. BOOG, JOHN D. NIELAND, JOLANDE BOES, CORNELIS J. M. MELIEF, and HIDDE L. PLOEGH. N-Linked glycan modification on antigen-presenting cells restores an allospecific cytotoxic T cell response

Volume 171 No. 3 March 1, 1990

597 RENATO C. MONTEIRO, HIROMI KUBAGAWA, and MAX D. COOPER. Cellular distribution, regulation, and biochemical nature of an Fcα receptor in humans

615 DAVID R. KARP, CHRISTINA L. TELETSKI, DOLORES JARAQUEMADA, W. LEE MALOY, JOHN E. COLIGAN, and ERIC O. LONG. Structural requirements for pairing of α and β chains in HLA-DR and HLA-DP molecules

629 J. J. MULÉ, J. K. MCINTOSH, D. M. JABLONS, and S. A. ROSENBERG. Antitumor activity of recombinant interleukin 6 in mice

637 HIRONOBU ASAO, TOSHIKAZU TAKESHITA, MASATAKA NAKAMURA, KINYA NAGATA, and KAZUO SUGAMURA. Interleukin 2 (IL-2)-induced tyrosine phosphorylation of IL-2 receptor p75

645 MEGAN SYKES, MOLLY L. ROMICK, KIM A. HOYLES, and DAVID H. SACHS. In vivo administration of interleukin 2 plus T cell–depleted syngeneic marrow prevents graft-versus-host disease mortality and permits alloengraftment

659 TAO WEN, HÅKAN MELLSTEDT, and MIKAEL JONDAL. Presence of clonal T cell populations in chronic B lymphocytic leukemia and smoldering myeloma

667 DIETER KABELITZ, ANKE BENDER, SUSANNE SCHONDELMAIER, BERND SCHOEL, and STEFAN H. E. KAUFMANN. A large fraction of human peripheral blood γ/δ^+ T cells is activated by *Mycobacterium tuberculosis* but not by its 65-kD heat shock protein

681 DAVID S. SILBERSTEIN, MARJORIE S. MINKOFF, ABLA A. CREASEY, and JOHN R. DAVID. A serum factor that suppresses the cytotoxic function of cytokine-stimulated human eosinophils

695 ALESSANDRO MORETTA, GIUSEPPE TAMBUSSI, CHRISTINA BOTTINO, GINO TRIPODI, ANNALISA MERLI, ERMANNO CICCONE, GIUSEPPE PANTALEO, and LORENZO MORETTA. A novel surface antigen expressed by a subset of human $CD3^-CD16^+$ natural killer cells. Role in cell activation and regulation of cytolytic function

715 AIHAO H. DING, FRANCOISE PORTEU, ELIZABETH SANCHEZ, and CARL F. NATHAN. Downregulation of tumor necrosis factor receptors on macrophages and endothelial cells by microtubule depolymerizing agents

729 JAMES LEFKOWITH, GEORGE SCHREINER, JANICE CORMIER, EUGENE S. HANDLER, HENRY K. DRISCOLL, DALE GREINER, JOHN P. MORDES, and ALDO A. ROSSINI. Prevention of diabetes in the BB rat by essential fatty acid deficiency. Relationship between physiological and biochemical changes

745 MARION T. KASAIAN and CHRISTINE A. BIRON. Cyclosporin A inhibition of interleukin 2 gene expression, but not natural killer cell proliferation, after interferon induction in vivo

763 WALTER R. WEISS, SYLVIE MELLOUK, RICHARD A. HOUGHTEN, MARTHA SEDEGAH, SANJAI KUMAR, MICHAEL F. GOOD, JAY A. BERZOFSKY, LOUIS H. MILLER, and STEPHEN L. HOFFMAN. Cytotoxic T cells recognize a peptide from the circumsporozoite protein on malaria-infected hepatocytes

775 OLIVER NÜSSE, MANFRED LINDAU, OLIVER CROMWELL, A. BARRY KAY, and BASTIEN D. GOMPERTS. Intracellular application of guanosine-5′-*O*-(3-thiotriphosphate) induces exocytotic granule fusion in guinea pig eosinophils

787 MICHIYO TOMITA-YAMAGUCHI, JOHN F. BABICH, RODNEY C. BAKER, and THOMAS J. SANTORO. Incorporation, distribution, and turnover of arachidonic acid within membrane phospholipids of $B220^+$ T cells from autoimmune-prone MRL-*lpr/lpr* mice

801 CHARLES R. MACKAY, WENDY L. MARSTON, and LISBETH DUDLER. Naive and memory T cells show distinct pathways of lymphocyte recirculation

819 HANS H. GULDNER, HANS J. NETTER, CARIN SZOSTECKI, ERNST JAEGER, and HANS WILL. Human anti-P68 autoantibodies recognize a common epitope of U1 RNA containing small nuclear ribonucleoprotein and influenza B virus

831 J. S. HILL GASTON, PAUL F. LIFE, PETER J. JENNER, M. JOSEPH COLSTON, and PAUL A. BACON. Recognition of a mycobacteria-specific epitope in the 65-kD heat-shock protein by synovial fluid–derived T cell clones

843 BARBARA A. MALYNN, GEORGE D. YANCOPOULOS, JEREMY E. BARTH, CONSTANTIN A. BONA, and FREDERICK W. ALT. Biased expression of J_H-proximal V_H genes occurs in the newly generated repertoire of neonatal and adult mice

861 REJEAN L. IDZERDA, CARL J. MARCH, BRUCE MOSLEY, STEWART D. LYMAN, TIM VANDEN BOS, STEVEN D. GIMPEL, WENIE S. DIN, KENNETH H. GRABSTEIN, MICHAEL B. WIDMER, LINDA S. PARK, DAVID COSMAN, and M. PATRICIA BECKMANN. Human interleukin 4 receptor confers biological responsiveness and defines a novel receptor superfamily

875 MICHAEL POLYDEFKIS, SCOTT KOENIG, CHARLES FLEXNER, EUGENE OBAH, KELLY GEBO, SEKHAR CHAKRABARTI, PATRICIA L. EARL, BERNARD MOSS, and ROBERT F. SILICIANO. Anchor sequence–dependent endogenous processing of human immunodeficiency virus 1 envelope glycoprotein gp160 for $CD4^+$ T cell recognition

889 J. D. BAUMGARTNER, D. HEUMANN, J. GERAIN, P. WEINBRECK, G. E. GRAU, and M. P. GLAUSER. Association between protective efficacy of anti-lipopolysaccharide (LPS) antibodies and suppression of LPS-induced tumor necrosis factor α and interleukin 6. Comparison of O side chain–specific antibodies with core LPS antibodies

897 SAID M. SHAWAR, RICHARD G. COOK, JOHN R. RODGERS, and ROBERT R. RICH. Specialized functions of MHC class I molecules. I. An *N*-formyl peptide receptor is required for construction of the class I antigen Mta

913 G. CAMUSSI, C. TETTA, F. BUSSOLINO, and C. BAGLIONI. Antiinflammatory peptides (antiflammins) inhibit synthesis of platelet-activating factor, neutrophil aggregation and chemotaxis, and intradermal inflammatory reactions

BRIEF DEFINITIVE REPORTS

929 ANNA GEORGE, SUSANNE I. KOST, CAMILLUS L. WITZLEBEN, JOHN J. CEBRA, and DONALD H. RUBIN. Reovirus-induced liver disease in severe combined immunodeficient (SCID) mice. A model for the study of viral infection, pathogenesis, and clearance

935 JOSEPH L. ROBERTS, SUSAN O. SHARROW, and ALFRED SINGER. Clonal deletion and clonal anergy in the thymus induced by cellular elements with different radiation sensitivities

941 M. KINKHABWALA, P. SEHAJPAL, E. SKOLNIK, D. SMITH, V. K. SHARMA, H. VLASSARA, A. CERAMI, and M. SUTHANTHIRAN. A novel addition to the T cell repertory. Cell surface expression of tumor necrosis factor/cachectin by activated normal human T cells

947 GARETH T. WILLIAMS, ASHOK R. VENKITARAMAN, DAVID R. GILMORE, and MICHAEL S. NEUBERGER. The sequence of the μ transmembrane segment determines the tissue specificity of the transport of immunoglobulin M to the cell surface

953 SUSAN R. WEBB and JONATHAN SPRENT. Response of mature unprimed $CD8^+$ T cells to Mls^a determinants

959 M. Djavad Mossalayi, Jean-Claude Lecron, Ali H. Dalloul, Marika Sarfati, Jean-Marc Bertho, Hans Hofstetter, Guy Delespesse, and Patrice Debre. Soluble CD23 (FcεRII) and interleukin 1 synergistically induce early human thymocyte maturation

965 Thomas Blankenstein, Zhihai Qin, Weiqun Li, and Tibor Diamantstein. DNA rearrangement and constitutive expression of the interleukin 6 gene in a mouse plasmacytoma

971 Correction

973 Correction

Volume 171 No. 4 April 1, 1990

979 Raymond A. Daynes, Barbara A. Araneo, Tad A. Dowell, Kun Huang, and Donald Dudley. Regulation of murine lymphokine production in vivo. III. The lymphoid tissue microenvironment exerts regulatory influences over T helper cell function

997 Carolyn A. Foster, Hiroo Yokozeki, Klemens Rappersberger, Frits Koning, Beatrix Volc-Platzer, Armin Rieger, John E. Coligan, Klaus Wolff, and Georg Stingl. Human epidermal T cells predominately belong to the lineage expressing α/β T cell receptor

1015 Marc Bonneville, Shigeyoshi Itohara, Edvins G. Krecko, Peter Mombaerts, Isao Ishida, Motoya Katsuki, Anton Berns, Andrew G. Farr, Charles A. Janeway, Jr., and Susumu Tonegawa. Transgenic mice demonstrate that epithelial homing of γ/δ T cells is determined by cell lineages independent of T cell receptor specificity

1027 Tetsuo Shiohara, Noriko Moriya, Chie Gotoh, Jun Hayakawa, Masaji Nagashima, Kaj Saizawa, and Hiromichi Ishikawa. Loss of epidermal integrity by T cell–mediated attack induces long-term local resistance to subsequent attack. I. Induction of resistance correlates with increases in Thy-1^+ epidermal cell numbers

1043 Carlo-Federico Perno, Michael W. Baseler, Samuel Broder, and Robert Yarchoan. Infection of monocytes by human immunodeficiency virus type 1 blocked by inhibitors of CD4-gp120 binding, even in the presence of enhancing antibodies

1057 Benny Leshem and Eli Kedar. Cytotoxic T lymphocytes reactive against a syngeneic murine tumor and their specific suppressor T cells are both elicited by in vitro allosensitization

1073 Linda S. Park, Della J. Friend, Ann E. Schmierer, Steven K. Dower, and Anthony E. Namen. Murine interleukin 7 (IL-7) receptor. Characterization on an IL-7–dependent cell line

1091 Jens-M. Schröder, Niek L. M. Persoon, and Enno Christophers. Lipopolysaccharide-stimulated human monocytes secrete, apart from neutrophil-activating peptide 1/interleukin 8, a second neutrophil-activating protein. NH_2-Terminal amino acid sequence identity with melanoma growth stimulatory activity

1101 Er-Kai Gao, David Lo, and Jonathan Sprent. Strong T cell tolerance in parent → F_1 bone marrow chimeras prepared with supralethal irradiation. Evidence for clonal deletion and anergy

1123 C. Saltini, M. Kirby, B. C. Trapnell, N. Tamura, and R. G. Crystal. Biased accumulation of T lymphocytes with "memory"-type CD45 leukocyte common antigen gene expression on the epithelial surface of the human lung

1141 Toyohiro Sasaki, Masahiro Mieno, Heiichiro Udono, Keizo Yamaguchi, Toshiaki Usui, Kohei Hara, Hiroshi Shiku, and Eiichi Nakayama. Roles of $CD4^+$ and $CD8^+$ cells, and the effect of administration of recombinant murine interferon γ in listerial infection

1155 Patricia A. Detmers, Siu K. Lo, Elizabeth Olsen-Egbert, Alfred Walz, Marco Baggiolini, and Zanvil A. Cohn. Neutrophil-activating protein 1/interleukin 8 stimulates the binding activity of the leukocyte adhesion receptor CD11b/CD18 on human neutrophils

1163 A. Pforte, G. Breyer, J. C. Prinz, P. Gais, G. Burger, K. Häussinger, E. P. Rieber, E. Held, and H. W. L. Ziegler-Heitbrock. Expression of the Fc-receptor for IgE (FcεRII, CD23) on alveolar macrophages in extrinsic allergic alveolitis

1171 C. Miossec, F. Faure, L. Ferradini, S. Roman-Roman, S. Jitsukawa, S. Ferrini, A. Moretta, F. Triebel, and T. Hercend. Further analysis of the T cell receptor γ/δ^+ peripheral lymphocyte subset. The Vδ1 gene segment is expressed with either Cα or Cδ

1189 Rafael Bragado, Pilar Lauzurica, Daniel López, and José A. López de Castro. T cell receptor Vβ gene usage in a human alloreactive response. Shared structural features among HLA-B27-specific T cell clones

1205 George A. Perdrizet, Susan R. Ross, Hans J. Stauss, Sunanda Singh, Hartmut Koeppen, and Hans Schreiber. Animals bearing malignant grafts reject normal grafts that express through gene transfer the same antigen

1221 John F. Bohnsack, Steven K. Akiyama, Caroline H. Damsky, William A. Knape, and Guy A. Zimmerman. Human neutrophil adherence to laminin in vitro. Evidence for a distinct neutrophil integrin receptor for laminin

1239 Robert P. Kimberly, Jon W. Ahlstrom, Michael E. Click, and Jeffrey C. Edberg. The glycosyl phosphatidylinositol-linked $Fc\gamma RIII_{PMN}$ mediates transmembrane signaling events distinct from FcγRII

1257 John E. Coe and Mary Jane Ross. Amyloidosis and female protein in the Syrian hamster. Concurrent regulation by sex hormones

1269 Mark J. Smyth, John R. Ortaldo, Yo-Ichi Shinkai, Hideo Yagita, Motomi Nakata, Ko Okumura, and Howard A. Young. Interleukin 2 induction of pore-forming protein gene expression in human peripheral blood $CD8^+$ T cells

1283 Yvonne R. Freund, Russell L. Dedrick, and Patricia P. Jones. *cis*-Acting sequences required for class II gene regulation by interferon γ and tumor necrosis factor α in a murine macrophage cell line

1301 Stephen D. Wilson, Paul R. Billings, Peter D'Eustachio, R. E. K. Fournier, Edwin Geissler, Peter A. Lalley, Parris R. Burd, David E. Housman, Benjamin A. Taylor, and Martin E. Dorf. Clustering of cytokine genes on mouse chromosome 11

1315 James W. Young and Ralph M. Steinman. Dendritic cells stimulate primary human cytolytic lymphocyte responses in the absence of $CD4^+$ helper T cells

1333 Clark L. Anderson, Li Shen, Donald M. Eicher, Mark D. Wewers, and Jona K. Gill. Phagocytosis mediated by three distinct Fcγ receptor classes on human leukocytes

1347 Subita Srimal and Carl Nathan. Purification of macrophage deactivating factor

BRIEF DEFINITIVE REPORTS

1363 Jeffrey L. Platt, Gregory M. Vercellotti, Bonnie J. Lindman, Theodore R. Oegema, Jr., Fritz H. Bach, and Agustin P. Dalmasso. Release of heparan sulfate from endothelial cells. Implications for pathogenesis of hyperacute rejection

1369 G. Edgar Rice, J. Michael Munro, and Michael P. Bevilacqua. Inducible cell adhesion molecule 110 (INCAM-110) is an endothelial receptor for lymphocytes. A CD11/CD18-independent adhesion mechanism

1375 Setaluri Vijayasaradhi, Brigitte Bouchard, and Alan N. Houghton. The melanoma antigen gp75 is the human homologue of the mouse *b* (*brown*) locus gene product

1381 H. Robson MacDonald, Rosemary K. Lees, and Yolande Chvatchko. $CD8^+$ T cells respond clonally to $Mls\text{-}1^a$-encoded determinants

1387 Correction

Volume 171 No. 5 May 1, 1990

1393 Frédérick Triebel, Setsuko Jitsukawa, Elena Baixeras, Sergio Roman-Roman, Catherine Genevee, Evani Viegas-Pequignot, and Thierry Hercend. LAG-3, a novel lymphocyte activation gene closely related to CD4

1407 Gordon Keller and Ralph Snodgrass. Life span of multipotential hematopoietic stem cells in vivo

1419 Edward F. Rosloniec, Laura J. Vitez, Soren Buus, and John H. Freed. MHC class II–derived peptides can bind to class II molecules, including self molecules, and prevent antigen presentation

1431 E. Schnabl, H. Stockinger, O. Majdic, H. Gaugitsch, I. J. D. Lindley, D. Maurer, A. Hajek-Rosenmayr, and W. Knapp. Activated human T lymphocytes express MHC class I heavy chains not associated with β_2-microglobulin

1443 Mark F. Gourley, Arthur M. Krieg, and Alfred D. Steinberg. Preferential nuclear compartmentalization of endogenous mink cell focus-forming–related retroviral transcripts.

1453 C. C. W. Hughes, C. O. S. Savage, and J. S. Pober. Endothelial cells augment T cell interleukin 2 production by a contact-dependent mechanism involving CD2/LFA-3 interaction

1469 Anthony A. Scalzo, Nicola A. Fitzgerald, Anthony Simmons, Antonietta B. La Vista, and Geoffrey R. Shellam. *Cmv-1*, a genetic locus that controls murine cytomegalovirus replication in the spleen

1485 Paul V. Lehmann, Georg Schumm, David Moon, Ursula Hurtenbach, Fiorenza Falcioni, Simone Muller, and Zoltan A. Nagy. Acute lethal graft-versus-host reaction induced by major histocompatibility complex class II–reactive T helper cell clones

1497 Daniel H. Conrad, Shlomo Z. Ben-Sasson, Graham Le Gros, Fred D. Finkelman, and William E. Paul. Infection with *Nippostrongylus brasiliensis* or injection of anti-IgD antibodies markedly enhances Fc-receptor–mediated interleukin 4 production by non-B, non-T cells

1509 Michael A. Caligiuri, Antanina Zmuidzinas, Thomas J. Manley, Herbert Levine, Kendall A. Smith, and Jerome Ritz. Functional consequences of interleukin 2 receptor expression on resting human lymphocytes. Identification of a novel natural killer cell subset with high affinity receptors

1527 Arnon Nagler, Lewis L. Lanier, and Joseph H. Phillips. Constitutive expression of high affinity interleukin 2 receptors on human $CD16^-$ natural killer cells in vivo

1535 Sally A. Berish, Timothy A. Mietzner, Leonard W. Mayer, Caroline A. Genco, Brian P. Holloway, and Stephen A. Morse. Molecular cloning and characterization of the structural gene for the major iron-regulated protein expressed by *Neisseria gonorrhoeae*

1547 Gary Van Zant, Brigid P. Holland, Paul W. Eldridge, and Jau-Jiin Chen. Genotype-restricted growth and aging patterns in hematopoietic stem cell populations of allophenic mice

1567 Paul Fisch, Miroslav Malkovsky, Eric Braakman, Els Sturm, Reinder L. H. Bolhuis, Audrey Prieve, Jeffrey A. Sosman, Valery A. Lam, and Paul M. Sondel. γ/δ T cell clones and natural killer cell clones mediate distinct patterns of non–major histocompatibility complex–restricted cytolysis

1581 Peter Boros, Jianmin Chen, Constantin Bona, and Jay C. Unkeless. Autoimmune mice make anti-Fcγ receptor antibodies

1597 Christina M. Parker, Veronika Groh, Hamid Band, Steven A. Porcelli, Craig Morita, Marina Fabbi, David Glass, Jack L. Strominger, and Michael B. Brenner. Evidence for extrathymic changes in the T cell receptor γ/δ repertoire

1613 Jochen Buck, Gerd Ritter, Luciana Dannecker, Viswanatham Katta, Steven L. Cohen, Brian T. Chait, and Ulrich Hämmerling. Retinol is essential for growth of activated human B cells

1625 Wyrta Heagy, Megan Laurance, Erik Cohen, and Robert Finberg. Neurohormones regulate T cell function

1635 CHRISTINE EWING, ROLAND EBRINGER, GORDON TRIBBICK, and H. MARIO GEYSEN. Antibody activity in ankylosing spondylitis sera to two sites on HLA B27.1 at the MHC groove region (within sequence 65–85), and to a *Klebsiella pneumoniae* nitrogenase reductase peptide (within sequence 181–199)

1649 R. E. MANDRELL, A. J. LESSE, J. V. SUGAI, M. SHERO, J. McL. GRIFFISS, J. A. COLE, N. J. PARSONS, H. SMITH, S. A. MORSE, and M. A. APICELLA. In vitro and in vivo modification of *Neisseria gonorrhoeae* lipooligosaccharide epitope structure by sialylation

1665 FIORENZA FALCIONI, ZLATKO DEMBIC, SIMONE MULLER, PAUL V. LEHMANN, and ZOLTAN A. NAGY. Flexibility of the T cell repertoire. Self tolerance causes a shift of T cell receptor gene usage in response to insulin

1683 SHIN-ICHI HAYASHI, TAKAHIRO KUNISADA, MINETARO OGAWA, TETSUO SUDO, HIROAKI KODAMA, TOSHIO SUDA, SATOMI NISHIKAWA, and SHIN-ICHI NISHIKAWA. Stepwise progression of B lineage differentiation supported by interleukin 7 and other stromal cell molecules

1697 JAMES P. DISANTO, CAROLYN A. KEEVER, TRUDY N. SMALL, GWEN L. NICHOLS, RICHARD J. O'REILLY, and NEAL FLOMENBERG. Absence of interleukin 2 production in a severe combined immunodeficiency disease syndrome with T cells

1705 JUDY A. MIKOVITS, RAZIUDDIN, MATTHEW GONDA, MARTIN RUTA, NANCY C. LOHREY, HSIANG-FU KUNG, and FRANCIS W. RUSCETTI. Negative regulation of human immune deficiency virus replication in monocytes. Distinctions between restricted and latent expression in THP-1 cells.

1721 ROBERT N. HAIRE, CHRIS T. AMEMIYA, DAIJIRO SUZUKI, and GARY W. LITMAN. Eleven distinct V_H gene families and additional patterns of sequence variation suggest a high degree of immunoglobulin gene complexity in a lower vertebrate, *Xenopus laevis*

1739 MICHAEL A. COPPOLA and CHRISTOPHER Y. THOMAS. A host gene regulates the structure of the transmembrane envelope protein of murine leukemia viruses

1753 JOSHUA P. METLAY, MARGIT D. WITMER-PACK, RALF AGGER, MARY T. CROWLEY, DESALES LAWLESS, and RALPH M. STEINMAN. The distinct leukocyte integrins of mouse spleen dendritic cells as identified with new hamster monoclonal antibodies

BRIEF DEFINITIVE REPORTS

1773 MARIA GRAZIA DE SIMONI, MARINA SIRONI, ADA DE LUIGI, ALFREDO MANFRIDI, ALBERTO MANTOVANI, and PIETRO GHEZZI. Intracerebroventricular injection of interleukin 1 induces high circulating levels of interleukin 6

1779 PETER E. JENSEN. Regulation of antigen presentation by acidic pH

1785 HELGA KLEIN, REINHARD BECHER, MICHAEL LÜBBERT, WOLFGANG OSTER, ENGELHARD SCHLEIERMACHER, MARION A. BRACH, LAWRENCE SOUZA, ALBRECHT LINDEMANN, ROLAND H. MERTELSMANN, and FRIEDHELM HERRMANN. Synthesis of granulocyte colony-stimulating factor and its requirement for terminal divisions in chronic myelogenous leukemia

1791 MICHEL TREMBLAY, SYLVAIN MELOCHE, RAFICK-P. SEKALY, and MARK A. WAINBERG. Complement receptor 2 mediates enhancement of human immunodeficiency virus 1 infection in Epstein-Barr virus–carrying B cells

1797 BERNHARD MOSER, IAN CLARK-LEWIS, ROLAND ZWAHLEN, and MARCO BAGGIOLINI. Neutrophil-activating properties of the melanoma growth–stimulatory activity

1803 REINHARD SCHWINZER and KURT WONIGEIT. Genetically determined lack of CD45R$^-$ T cells in healthy individuals. Evidence for a regulatory polymorphism of CD45R antigen expression

1809 TAKANORI SHIBATA, VINCENT KINDLER, YVES CHICHEPORTICHE, PIERRE VASSALLI, and SHOZO IZUI. Interleukin 3 perfusion prevents death due to acute anemia induced by monoclonal antierythrocyte autoantibody

1815 PETER AICHELE, HANS HENGARTNER, ROLF M. ZINKERNAGEL, and MANFRED SCHULZ. Antiviral cytotoxic T cell response induced by in vivo priming with a free synthetic peptide

1821 IGOR ESPINOZA-DELGADO, JOHN R. ORTALDO, ROBIN WINKLER-PICKETT, KAZUO SUGAMURA, LUIGI VARESIO, and DAN L. LONGO. Expression and role of p75 interleukin 2 receptor on human monocytes

1827 JOHN L. WALLACE and G. WEBB MCKNIGHT. Comparison of the damage-promoting effects of leukotrienes derived from eicosapentaenoic acid and arachidonic acid on the rat stomach

1833 TOSHIO MIYAWAKI, YOSHIHITO KASAHARA, KAZUYUKI TAGA, AKIHIRO YACHIE, and NOBORU TANIGUCHI. Differential expression of CD45RO (UCHL1) and its functional relevance in two subpopulations of circulating TCR-γ/δ^+ lymphocytes

Volume 171 No. 6 June 1, 1990

1839 SARAH C. SPENCER and JOHN W. FABRE. Characterization of the tissue macrophage and the interstitial dendritic cell as distinct leukocytes normally resident in the connective tissue of rat heart

1853 HUBERTINE HEREMANS, JO VAN DAMME, CHRIS DILLEN, ROGER DIJKMANS, and ALFONS BILLIAU. Interferon γ, a mediator of lethal lipopolysaccharide-induced Shwartzman-like shock reactions in mice

1871 BRIAN MCGUINNESS, ANN K. BARLOW, IAN N. CLARKE, JOHN E. FARLEY, ALGIS ANILIONIS, JAN T. POOLMAN, and JOHN E. HECKELS. Deduced amino acid sequences of class 1 protein (porA) from three strains of *Neisseria meningitidis*. Synthetic peptides define the epitopes responsible for serosubtype specificity

1883 BEVERLEY-A. BIGGS, LISA GOOZÉ, KAYE WYCHERLEY, DAVID WILKINSON, ANDREW W. BOYD, KAREN P. FORSYTH, LENA EDELMAN, GRAHAM V. BROWN, and JAMES H. LEECH. Knob-independent cytoadherence of *Plasmodium falciparum* to the leukocyte differentiation antigen CD36

1893 MASAHITO YAMADA, ANDREAS ZURBRIGGEN, and ROBERT S. FUJINAMI. Monoclonal antibody to Theiler's murine encephalomyelitis virus defines a determinant on myelin and oligodendrocytes, and augments demyelination in experimental allergic encephalomyelitis

1909 PIERRE FERRIER, LORI R. COVEY, SUZANNE C. LI, HEIKYUNG SUH, BARBARA A. MALYNN, T. KEITH BLACKWELL, MAUREEN A. MORROW, and FREDERICK W. ALT. Normal recombination substrate V_H to DJ_H rearrangements in pre-B cell lines from SCID mice

1919 ANTONIO PUCCETTI, TAMIO KOIZUMI, PAOLA MIGLIORINI, JANINE ANDRÉ-SCHWARTZ, KATHLEEN J. BARRETT, and ROBERT S. SCHWARTZ. An immunoglobulin light chain from a lupus-prone mouse induces autoantibodies in normal mice

1931 RAJESH P. SINGH, ROBERTO PATARCA, JOEL SCHWARTZ, PRATIMA SINGH, and HARVEY CANTOR. Definition of a specific interaction between the early T lymphocyte activation 1 (Eta-1) protein and murine macrophages in vitro and its effect upon macrophages in vivo

1943 DENNIS M. ZALLER, GAMAL OSMAN, OSAMI KANAGAWA, and LEROY HOOD. Prevention and treatment of murine experimental allergic encephalomyelitis with T cell receptor Vβ-specific antibodies

1957 DENIS P. SNIDER, ANDREAS KAUBISCH, and DAVID M. SEGAL. Enhanced antigen immunogenicity induced by bispecific antibodies

1965 MANIKKAM SUTHANTHIRAN. A novel model for antigen-dependent activation of normal human T cells. Transmembrane signaling by crosslinkage of the CD3/T cell receptor-α/β complex with the cluster determinant 2 antigen

1981 SEISHI KYOIZUMI, MITOSHI AKIYAMA, YUKO HIRAI, YOICHIRO KUSUNOKI, KAZUMI TANABE, and SHIGEKO UMEKI. Spontaneous loss and alteration of antigen receptor expression in mature $CD4^+$ T cells

2001 TAKAHISA SUGITA, TETSUYA TOTSUKA, MIKIYOSHI SAITO, KATSUHIKO YAMASAKI, TETSUYA TAGA, TOSHIO HIRANO, and TADAMITSU KISHIMOTO. Functional murine interleukin 6 receptor with the intracisternal A particle gene product at its cytoplasmic domain. Its possible role in plasmacytomagenesis

2011 Tom H. M. Ottenhoff and Tuna Mutis. Specific killing of cytotoxic T cells and antigen-presenting cells by $CD4^+$ cytotoxic T cell clones. A novel potentially immunoregulatory T–T cell interaction in man

2025 A. Slungaard, G. M. Vercellotti, G. Walker, R. D. Nelson, and H. S. Jacob. Tumor necrosis factor α/cachectin stimulates eosinophil oxidant production and toxicity towards human endothelium

2043 Ronald J. Rubocki, David R. Lee, Wen-Rong Lie, Nancy B. Myers, and Ted H. Hansen. Molecular evidence that the *H-2D* and *H-2L* genes arose by duplication. Differences between the evolution of the class I genes in mice and humans

2063 Roger Hällgren, Bengt Gerdin, Gunnar Tufveson. Hyaluronic acid accumulation and redistribution in rejecting rat kidney graft. Relationship to the transplantation edema

2077 Michael B. A. Oldstone. Viruses as therapeutic agents. I. Treatment of nonobese insulin-dependent diabetes mice with virus prevents insulin-dependent diabetes mellitus while maintaining general immune competence

2091 Michael B. A. Oldstone, Rafi Ahmed, and Maria Salvato. Viruses as therapeutic agents. II. Viral reassortants map prevention of insulin-dependent diabetes mellitus to the small RNA of lymphocytic choriomeningitis virus

2101 Wen Jie Zhang, Mariapia A. Degli-Esposti, Trevor J. Cobain, Paul U. Cameron, Frank T. Christiansen, and Roger L. Dawkins. Differences in gene copy number carried by different MHC ancestral haplotypes. Quantitation after physical separation of haplotypes by pulsed field gel electrophoresis

2115 Yee Wah Wong, Alan F. Williams, Stephen F. Kingsmore, and Michael F. Seldin. Structure, expression, and genetic linkage of the mouse BCM1 (OX45 or Blast-1) antigen. Evidence for genetic duplication giving rise to the BCM1 region on mouse chromosome 1 and the CD2/LFA3 region on mouse chromosome 3

2131 John Swanson, Sandra Morrison, Osmar Barrera, and Stuart Hill. Piliation changes in transformation-defective gonococci

BRIEF DEFINITIVE REPORTS

2141 C. Victor Jongeneel, Hans Acha-Orbea, and Thomas Blankenstein. A polymorphic microsatellite in the tumor necrosis factor α promoter identifies an allele unique to the NZW mouse strain

2147 David L. Simmons, Caroline Walker, Christine Power, and Rod Pigott. Molecular cloning of CD31, a putative intercellular adhesion molecule closely related to carcinoembryonic antigen

2153 Joseph R. Tumang, David N. Posnett, Barry C. Cole, Mary K. Crow, and Steven M. Friedman. Helper T cell–dependent human B cell differentiation mediated by a mycoplasmal superantigen bridge

2159 P. W. Finn, T. T. Van, R. S. Accolla, and L. H. Glimcher. Loss of a DNA-protein complex correlates with extinguished major histocompatibility complex class II expression in a human B cell

2165 M. L. Lehker, T. H. Chang, D. C. Dailey, and J. F. Alderete. Specific erythrocyte binding is an additional nutrient acquisition system for *Trichomonas vaginalis*

2171 Matyas Sandor, Thomas Gajewski, John Thorson, John D. Kemp, Frank W. Fitch, and Richard G. Lynch. $CD4^+$ murine T cell clones that express high levels of immunoglobulin binding belong to the interleukin 4–producing T helper cell type 2 subset

2177 Claus O. C. Zachariae, Arthur O. Anderson, H. Lorraine Thompson, Ettore Appella, Alberto Mantovani, Joost J. Oppenheim, and Kouji Matsushima. Properties of monocyte chemotactic and activating factor (MCAF) purified from a human fibrosarcoma cell line

2183 Correction

2185 Author Index To Volume 171